Dane aktualne na dzień: 19-10-2026 09:03

Link do produktu: https://center-com.pl/technics-su-v450-solidny-wzmacniacz-stereo-p-3195.html

# TECHNICS SU-V450 SOLIDNY WZMACNIACZ STEREO !

| | |
|---|---|
| Cena | **479,00 zł** |
| Numer katalogowy | **SU-V450** |
| Kod producenta | **SU-V450** |
| Kod EAN | **45039850** |
| Komunikacja | **brak** |
| Pozostałe złącza | **wejście gramofonowe** |
| Pobór mocy | **450** |
| Certyfikaty zgodności | **CE** |
| Kod producenta | **SU-V450** |
| Model | **SU-V450** |
| Kolor | **czarny** |
| Liczba kanałów | **2** |
| Funkcje | **filtr Loudness (kontur)** |
| Załączone wyposażenie | **Przewód zasilajacy .** |
| Kod taryfy celnej | **85423390** |
| Marka | **Technics** |

## Opis produktu

# Najważniejsze informacje:

- **Stan techniczny** - urządzenie w 100% sprawne, na oryginalnych częściach, sprawdzone i przetestowane. Bez wcześniejszych napraw
- **Stan wizualny** - widoczny na zamieszczonych zdjęciach
- **Paragon fiskalny** - dołączony do każdego zakupu
- **W komplecie** - wzmacniacz, kabel zasilający

# Krótki opis:

Wzmacniacz ten jest jednym z najmocniejszych stworzonych przez Technics'a pracujący w klasie AA i zarazem jednym z najładniejszych jakie ta firma wypuściła na rynek, piękny klasyczny design nigdy się nie zestarzeje. Dzięki budowie w klasie AA - całkowitym poborze mocy 450W, wielkiemu trafo, kondensatorom Technics HI-SPEED EX o pojemności 2 x 6800 mokroFarada oraz potężnej końcówce mocy SVI3204 (chłodzona pasywnie - miedziany rdzeń + aluminiowe żebrowania) wzmacniacz jest stabilny, dźwięk nie ulega zniekształceniom a basy czyste.

# Parametry:

- impedancja - 4-16 ohm;
- pobór mocy: 450 W;
- moc: 2 x 60 W;
- wejścia: PHONO, TUNER, CD, AUX, TAPE 1/DAT, TAPE 2 EXT;
- wyjścia na dwie pary kolumn;
- regulacja: Balance, Treble i Bass;
- funkcje: Loudness, CD Direct;
- funkcje: Tone Control, Subsonic Filter;
- Wyjście słuchawkowe;
- Wymiary: 430 x 126 x 311 mm
- Waga: ok 7 kg;

Technics
Stereo Integrated Amplifier SU-V450
power
bass
tone control
treble
balance
class AA
VC-4 Amplifier System
CD direct
volume
tone control
subsonic filter
phones
speakers
main
remote
tape 1/ DAT
tape 2/ ext
aux
CD
tuner
phono
VC-4 Amplifier System

Technics
Stereo Integrated Amplifier SU-V450
power
bass
tone control
treble
balance
class AA
VC-4 Amplifier System
amplifier operation monitor
voltage control
current drive
tape monitor
input selector
tone control
subsonic filter
phones
speakers
main
remote
tape 1/ DAT
tape 2/ ext
aux
CD

Stereo Integrated Amplifier SU-V450
bass
tone control
treble
balance
min(−10dB)
max(+10dB)
left
right
tone control
subsonic filter
defeat
on
off
20Hz
class AA
VC-4 Amplifier System
amplifier operation monitor
voltage control
current drive
CD direct
loudness
tape monitor
input selector
tape 1/ DAT
tape 2/ ext
aux
CD
tuner
phono
speakers
main
remote

SU-V450
treble
balance
max(+10dB)
left
right
subsonic filter
off
20Hz
class AA
VC-4 Amplifier System
amplifier operation monitor
voltage control
current drive
CD direct
loudness
volume
tape monitor
input selector
tape 1/ DAT
tape 2/ ext
aux
CD
tuner
phono
VC-4 Amplifier System
minimal distortion · superior dynamic range

Technics
Stereo Integrated Amplifier SU-V450
bass
tone control
treble
balance
power
tone control
subsonic filter
speakers
main
remote
phones
CD direct
loudness
volume
input selector
tape monitor
tape 1/ DAT
tape 2/ ext
aux
CD
tuner
phono

AC IN
SPEAKERS
Technics
MODEL No. SU-V450
STEREO INTEGRATED AMPLIFIER
POWER : ∿50/60Hz 230V 450W
Matsushita Electric Industrial Co. Ltd
Made in Japan
CAUTION : TO PREVENT ELECTRIC SHOCK,
DO NOT REMOVE SCREWS.
NO USER - SERVICEABLE PARTS INSIDE.
REFER SERVICING TO QUALIFIED SERVICE
PERSONNEL.
GND
PHONO
TUNER
CD
AUX
REC OUT PLAYBACK TAPE2/EXT
REC OUT PLAYBACK TAPE1/DAT
MAIN OR REMOTE : 4 - 16Ω/EACH SPEAKER
MAIN AND REMOTE : 8 - 16Ω/EACH SPEAKER